



Authorized Distributor for:



HEAD OFFICE

14, Jalan Utama 1/75, Taman Perindustrian Utama
Seksyen 1, P.O. Box 63, 47109 Puchong,
Selangor, Malaysia

TEL : +603 8061 3322
FAX : +603 8061 3332
EMAIL : info@vibracoon.com.my



PENANG OFFICE

No.84, Jalan Bukit Minyak 3, Taman Bukit Minyak,
14000 Bukit Mertajam, S.P.T, Penang, Malaysia.

TEL : +604 508 5117 / 8117
FAX : +604 508 8117
EMAIL : sales@vibrapac.com



HEAD OFFICE

No.10, Jln Utama 1/15, Trm Perindustrian Utama,
47100 Puchong, Selangor, Malaysia.

TEL : +603 8061 3366
FAX : +603 8061 3332
EMAIL : info@vki.com.my

PENANG OFFICE

TEL : +604 508 5117
FAX : +604 508 8117

www.vibracoon.com.my



We Aim To Provide The Best Solutions For Our Clients.

Established on 27 February 1985 as a trading company, Vibracoon Sdn Bhd and its associated companies has created a reputation for themselves as a professional and premium supplier of Occupational Safety, Health & Environmental Products (OSHE). With the Company's Vision set forth by the Managing Director as providing "Thorough and Professional (PW) Service to the Markets that we serve".

OSHE

Premium & Professional Supplier of
Occupational Safety, Health & Environmental
Products & Services

www.vibracoon.com.my

PRODUCT CATALOG 2020

VIBRACON SDN BHD

CONTENTS

HEAD	PROTECTION	02
HEARING	PROTECTION	05
EYE / FACE	PROTECTION	08
RESPIRATORY	PROTECTION	11
HAND	PROTECTION	23
PROTECTIVE	CLOTHING	27
FOOT	PROTECTION	33
GAS	DETECTION	37
EMERGENCY	SHOWER / EYEWASH	40
FALL	PROTECTION	45
SPILL	RESPONSE	52
LOCKOUT	TAGOUT	56
SAFETY	CABINETS & SAFETY CANS	67
OTHERS		72



HEAD PROTECTION

Safety Helmet

The Hard Hat, has come a long way since 1900s. Inspired by military helmets, today's safety helmets are made of High Density Polyethylene, Acrylonitrile Butadiene or Fiberglass. The purpose of the safety helmet is for the shock absorption & protection from small falling objects striking the top of the hard hat.

As the time pass, a more modern design, chin straps and more spacious head space for different industry. Different Type of Safety Helmets provide different type of usage. Face Shields are intended to shield your face from chemical, impact & heat hazards. Can refer to Page 8 to 10 for our Face Protection Range. Ear Muffs are intended to protect your ear from unwanted high dB range of noise. Can refer to Page 5 to 7 for our Ear Protection Range.

HEAD PROTECTION

Head

3M™ H-705R Red Hard Hat - 4 Point Ratchet

3M



Protective hard hat with comfortable 4-point pinlock suspension and standard brow pad.

3M™ H-701R White Hard Hat - 4 Point Ratchet

3M



Protective hard hat with comfortable 4-point pinlock suspension and standard brow pad.

3M™ H-701P White Hard Hat - 4 Point Pin Lock

3M



Protective hard hat with comfortable 4-point pinlock suspension and standard brow pad.

3M™ H-702R Yellow Hard Hat - 4 Point Ratchet

3M



Protective hard hat with comfortable 4-point ratchet suspension and standard brow pad.

3M™ H-702P Yellow Hard Hat - 4 Point Pin Lock

3M



Protective hard hat with comfortable 4-point pinlock suspension and standard brow pad.

Proguard Advance ABS White Helmet c/w Chin Strap

PROGUARD
Your Ultimate Partner In Safety™



Standard safety helmet made from ABS with slide lock/pin lock harness.

Proguard HG2-WHG3RS Advantage II Vented Safety Helmet

PROGUARD
Your Ultimate Partner In Safety™



Protective hard hat with comfortable 4-point pinlock suspension and standard brow pad.

Bouffant Caps



Packed 100 pieces per box.

Proguard Safety Bump Cap Prima Vented with Plastic Harness BC1-PHPL

PROGUARD
Your Ultimate Partner In Safety™



Entry level protection against minor bumps and abrasions from low hanging hazards like pipes and racks.

Fire Fighting Helmet - PAB (Red Color)



It is designed to protect the head in the most extreme conditions (up to 1,000°C). Light weight. Anti-scratch and anti-fog coated visor resistible to up to 300°C.

HEARING PROTECTION

Operating in a noisy workplace where the noise level is more than 85dB ? Then what you need are individual Hearing Protection Devices (HPD), Working in area with dangerous noise level without proper HPD could result in hearing loss or deafness. Protect your hearing with our range of HPDs to choose from earplugs, earmuffs, and hearing bands.

When it comes to protecting workers' hearing there is no one-size fits all solution.

- 1) An Accurate assessment of the sound level
- 2) Choosing the right protection for the job
- 3) Use a validation system to verify the protection being used is at the right level for the given environment

All of this should be consistently supported by a strong educational effort around noise awareness, fittings guidance and other motivational elements.

VSB delivers a complete set of tools to Detect, Protect and Validate.

- 1) Accurate Noise Detection
- 2) Adaptable Hearing Protection
- 3) Fit Test Validation

Refer Catalogue Draft Book

Chart between Roll Dow Foam Disposable Earplugs, Reusable Earplugs, Earmuffs



HEARING PROTECTION

Earplugs

3M™ 1110 Corded Earplugs,
JKKP EP 56/95 (Packed 100 pairs per box)

3M



3M™ 1110 corded Disposable Earplugs are made from soft foam and offer a tapered fit to better fit the ear canal comfortably and come with a suitable length of cord to hang the earplugs around your neck when not in use.

3M™ 1271 Reusable Corded Earplugs
c/w Case (Packed 50 pairs per box)

3M



3M™ 1271 Reusable Corded Earplugs c/w are washable, reusable earplugs that have a triple-flange system designed to securely fit your ear canal as best as possible, when worn correctly.

3M™ 1270 Reusable Corded Earplugs (Packed 100 pairs per box)

3M



3M™ 1270 Reusable Corded Earplugs are washable, reusable earplugs that have a triple-flange system designed to securely fit your ear canal as best as possible, when worn correctly.

3M™ 1293 Reusable Earplugs with Carrying Case (Packed 50 pairs per box)

3M



3M™ 1293 Reusable Earplugs with Carrying Case is the 3M Premium Earplugs made from quality silicone, which does not leak silicone oil with time. Dependable quality from a premium manufacturer.

3M™ E.A.R.™ 340-4002 Ultrafit Corded Earplug c/w Carrying Case

3M



This premoulded reusable earplug delivers performance in a variety of work environments. Soft plastic material.

3M™ 1100 Uncorded Disposable Earplugs (Packed 200 pairs per box)

3M



3M™ 1100 Uncorded Disposable Earplugs are made from soft foam and offer a tapered fit to better fit the ear canal comfortably.

3M™ 1292 Reusable Earplugs without Casing (Packed 50 pairs per box)

3M



3M™ 1292 Reusable Earplugs without Casing.

3M™ E.A.R.™ 312-1223 Taperfit Corded Earplug (Packed in polybag)

3M



Soft polyurethane foam earplugs. Flexible cord connects earplugs.

3M™ E.A.R.™ 340-4004 Ultrafit Corded Earplugs

3M



This premoulded reusable earplug delivers performance in a variety of work environments. Soft plastic material. Packed per pair.

Earmuffs

3M™ Peltor Optime™ 98 Series
Over-The-Head Earmuffs, H9A

3M



For noise levels up to 98 dBA. Earcup pivot points tilt for optimum comfort and efficiency. Noise Reduction Rating (NRR)*: 25 dB. CSA Class A.

3M™ Peltor Optime™ 95 Series H6A/V
Beige Earmuff

3M



Stainless steel construction resists bending and warping. Earcup pivot points tilt for optimum comfort and efficiency. Noise Reduction Rating (NRR)*: 21 dB. CSA Class B.

3M™ Peltor Optime™ 105 Series Earmuff,
Cap Attached Dual Cup, H10P3E

3M



For noise levels up to 105 dBA. Easy cap-mount design. Noise Reduction Rating (NRR)*: 27dB. CSA Class AL.

3M™ Peltor Optime™ 101 Series H7A
Over-The-Head Earmuff

3M



For noise levels up to 101 dBA. Stainless steel headband distributes weight for low-pressure fit. Noise Reduction Rating (NRR)*: 27 dB. CSA Class A.

3M™ Peltor Optime™ 101 Series
H7P3E Helmet Attached Earmuff

3M



Cap-mounted design allows for easy use with most hard hats. Color-coding for compliance sighting. Noise Reduction Rating (NRR)*: 24 dB. CSA Class A.



EYE / FACE PROTECTION

The right eye protection is vital for employees at all times. It depends on what's the exposure of the hazardous environment to suite different type of eyewear.

Safety Spectacles

Spectacles are eye protector designed to shield the wearer's eye from hazards. Spectacles may in many cases to be use alone. When face shields are required, safety eyewear or goggle is recommended to be worn in conjunction with the face shield.

Safety Goggle

Goggles are eye protector intended to fit immediate surrounding of the eyes in order to shield the eyes from variety of hazards. While goggles may be used alone, they may be used in conjunction with other products.

Face Shield

When used with appropriate headgear, a faceshield provides head and face protection in working environments with sparks, chips, and debris. This protective faceshield is recommended when chipping, chiseling, drilling, grinding, machining, power fastening, riveting, sanding, and sawing. Recommended industries include construction, general manufacturing, mining, oil and gas, and transportation. The clear, molded faceshield provides unrestricted visibility and high impact protection.

- Molded polycarbonate faceshield provides impact protection
- Mounts quickly to 3M headgear (sold separately)
- Installation to headgear requires no tools, snaps or cams
- Developed for use in metalworking, utilities and many other industries
- Meets the high impact requirements of ANSI Z87.1-2003

EYE/ FACE PROTECTION

Eye Protection

3M™ 1611 Visitors Safety Spectacles (OTG)

3M



An economical alternative for short term eye protection. Can be worn alone or over prescription glasses. Polycarbonate lens reduces UVB and UVA radiation from natural sunlight by 99%. Packed in each.

3M™ 2700 Classic Visitors / Overspec Safety Eyewear

3M



An ideal option in providing visitors with eye protection. Integral browguard and side shield for increased safety. Can be worn over most prescription glasses.

3M™ 2720 Classic Safety Eyewear (Blue Frame/Clear Lens)

3M



Extreme lightweight and comfortable with a sporty, modern design. Anti-scratch coating for increased durability and improve vision.

3M™ SecureFit™ Protective Eyewear SF301AF, Clear Anti-Fog Lens, 20EA/Case

3M



3M™ Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes reducing the need to stock multiple frame sizes at work sites. Padded temple touch points and soft nose pads provide added comfort for long term wear. Secure, snug fit helps keep eyewear in place without slippage even when the person is in motion.

3M™ AO 12166-00000-20 OX2000 Safety Eyewear Secure Tips with Clear Lens

3M



Sturdy, durable OX protective eyewear delivers high impact protection, wraparound sideshields and flexible, polycarbonate construction with over-the-glass coverage.

3M™ 1621AF Safety Goggles for Chemical Splash (with Anti-Fog)

3M



3M™ 1621AF Safety Goggles for Chemical Splash (with Anti-Fog) have polycarbonate lenses to protect against chemical splashes. The pliable vinyl frames provide a comfortable fit and vents enhance air circulation to prevent fogging. Packed per pair.

Eye Protection

3M™ 1623AF Anti-Fog Chemical Splash Goggles



3M™ 1623AF Anti-Fog Chemical Splash Goggles feature a wrap-around design for greater peripheral vision, anti-fog coating to minimize fogging and a hard-coated polycarbonate lens offering scratch resistance and 99% reduction of ultraviolet radiation (UVA and UVB) from natural sunlight.

3M™ SecureFit™ Protective Eyewear SF401AF, Clear Anti-fog Lens, 20 EA/Case



3M™ SecureFit™ Protective Eyewear, Clear Anti-Fog Lens, 20ea/cs

3M™ SecureFit™ Protective Eyewear SF402AF, Gray Anti-fog Lens, 20 EA/Case



3M™ SecureFit™ Protective Eyewear, Gray Anti-Fog Lens, 20ea/cs

3M™ Ratchet Headgear H8A



Mix and match this ratchet headgear with any 3M™ Faceshield. Adjustable ratchet suspension and five-position crown strap provide comfort, while high-strength thermoplastic crown offers impact resistance. Meets ANSI Z87.1-2010 requirements. Requires protective eyewear, sold separately.

3M™ Headgear/Window Combo System



A combination headgear and faceshield safety system. Includes H8A ratchet headgear and WP96 polycarbonate faceshield. Heavy-duty construction protects against impact from flying particles. Requires protective eyewear, sold separately.

3M™ Faceshield



Heavy-duty construction protects against impact from flying particles. Anti-fog coating keeps vision clear. Simple attachment scheme.

RESPIRATORY PROTECTION



Whenever there's a dirty, dusty job to be done, a comfortable respirator can help to make your workers want to wear it and promote compliance as required at all times during exposure to hazardous or unhealthy conditions. There are options to protect against airborne particles and mists that can affect your workers' health. VSB offers a wide selection of NIOSH-approved filtering facepiece respirators for numerous work-related tasks. Whether it's sweeping, sanding, grinding, sawing, bagging or welding, VSB provides a variety of innovative technologies and features – all designed to provide comfort, convenience and value.

A respirator can't give workers all the protection it was designed to provide, unless it is selected and worn correctly during all periods of exposure. That's why 3M uses a variety of innovative technologies and features designed to enhance user comfort and help increase wear time.

Particulate Filter Types

NIOSH-approved filters are rated as N95, R95, P95, N99, R99, P99, N100, R100 or P100. The number 95, 99, or 100 (99.97%) indicates the percent NIOSH filtration efficiency.

N Series

Used in particulate environments free of oil aerosols.

R Series

Used for oil and non-oil particles with time use limitations specified by NIOSH

P Series

Used for oil and non-oil particles with time use limitations specified by manufacturer.

Mask or Respirator

“What’s right for me?”



Helps reduce the risk of large particles expelled by the wearer—such as spit and mucous—from reaching patients.

Intended Use

Helps reduce wearer exposure to certain airborne particles.

Often fits loosely, leaving gaps between the mask and your face. Does not require fit testing or user seal checks.

Fit

Designed to fit tightly, creating a seal between your face and the respirator. Requires fit testing and user seal checks.

Helps protect the sterile surgical field from contamination by exhaled particles. Fluid-resistant surgical masks help reduce your exposure to blood and body fluids.

Applications

Designed to help reduce your exposure to certain airborne particles, including those generated by electrocautery, laser surgery and other powered medical instruments. CDC guidelines state that 3M™ Surgical N95 Respirators can be used for *M. tuberculosis* exposure control.*

* Centers for Disease Control and Prevention. Guidelines for Preventing the Transmission of Mycobacterium tuberculosis in Health-Care Settings, 2005. MMWR 2005; 54 (No. RR-17): 1-141

Cleared for sale by the Food and Drug Administration (FDA).

Approvals

Tested and certified by NIOSH. Cleared by the FDA as a surgical mask.

Tested for Particle Filtration Efficiency (PFE) and Bacterial Filtration Efficiency (BFE), plus fluid resistance, differential pressure and flammability.

Testing

Must meet stringent test criteria stated in 42 CFR Part 84. Also tested for fluid resistance and flammability. Additional tests can include PFE, BFE and differential pressure.

* Content provided by 3M

RESPIRATORY PROTECTION

Maintenance Free

Disposable respirators require a good seal between the respirator and face to deliver the expected protection. To obtain a good seal, always follow all directions provided with each respirator model.

Low Maintenance

When shifts are long and conditions are challenging, a Reusable Respirator will be able to the Protection that goes the Distance for your company. Workforces rely on 3M respirators to help them work safely and comfortably until the long shift ends. Low profile half facepiece design offers a wide field of view and compatibility with certain welding and grinding shields

Cartridges

These Cartridges are to go hand in hand with the Low Maintenance Unit.

Particulate Filters:

Filters only aerosols (e.g., dust, mists, fumes, smoke, mold, bacteria, etc). Some filters also have nuisance-level gas and vapor capabilities.



Gas & Vapor Cartridges:

Filters only gases and vapors. There are different kinds of cartridges for different kinds of gases and vapors.



Combination Cartridge/Filters:

Filters particles, gases and vapors. Different combination particulate/cartridge filters are used depending on the gas or vapor present in the air.



Product Matrix Selection: 3M™ Half Facepiece Single Cartridge Reusable Respirators

 <p>3M™ Half Facepiece Single Cartridge Reusable Respirator 3000 series</p>	Particulate / Gas & Vapor Protection		
	 <p>3301K-55</p>	 <p>774</p>	 <p>7711</p>
	Particulate Protection Only		
	 <p>3700</p>	 <p>3744</p>	
Pre-attached. Particulate and Gas & Vapor Protection			
	 <p>3311K-55</p>		
 <p>3M™ Half Facepiece Single Cartridge Reusable Respirator HF Series</p>	Particulate / Gas & Vapor Protection		
	 <p>3301K-55</p>	 <p>774</p>	 <p>7711</p>
	Particulate Protection Only		
	 <p>1744 / 1744C</p>	 <p>1744 / 1744C</p>	
Pre-attached. Particulate and Gas & Vapor Protection			
	 <p>3311K-55</p>		

3M Cartridges, Filters, Retainer and Adapters	
3744	3M™ Particulate filter for 3700, KOSHA/ Particulate 1 st class (JKKP MR98/01)
3301K-55	3M™ Organic Vapor Cartridge without Pre-filter, KOSHA Standard
3311K-55	3M™ Organic Vapor Cartridge with Pre-filter, KOSHA Standard
3700	3M™ Filter Holder for use with 3744
774	3M™ Filter Retainer for use with 7711
7711	3M™ N95 Filter, KOSHA/ Particular P2
1700	3M™ Filter Holder for use with 1744/ 1744C
1744	3M™ P2 Particulate Filter
1744C	3M™ P2 Particulate Filter with Nuisance Level Organic Vapour Relief
3303K-100	3M™ Organic Vapor and Acid Gas Cartridge

Product Matrix Selection: 3M™ Dual Cartridge Facepiece Reusable Respirators

Facepieces					
	Thermoplastic Facepiece	Rugged Silicon Facepiece	Silicon Facepiece	Thermoplastic Silicon Facepiece	Silicon Facepiece
	6100 (S)	6501 QL (S)	7501 (S)	6700 (S)	FF-401 (S)
	6200 (M)	6502 QL (M)	7502 (M)	6800 (M)	FF-402 (M)
6300 (L)	6503 QL (L)	7503 (L)	6900 (L)	FF-403 (L)	

Cartridges and Filters	Particulate Filter	Filter Retainer and Adapter	Gas and Vapor Cartridges
	 2071 P95 Filter JKKP MR 157/03  2076* HF/P95 Filter JKKP MR 159/03  2078** P95 Filter JKKP MR 157/03  2091 P100 Filter JKKP MR 158/03  2096*** P100 Filter JKKP MR 158/03  2097**** P100 Filter JKKP MR 158/03  7093 P100 Filter JKKP MR 158/03	 502 Filter Adapter ¹  501 Filter Retainer  5N11 N95 Filter JKKP MR 157/03  5P71 P95 Filter JKKP MR 157/03	 6001 OV JKKP MR 150/02  6002 AG JKKP MR 151/02  6003 OV/AG JKKP MR 152/02  6004 AM/MA JKKP MR 153/02  6005 Formaldehyde JKKP MR 154/02  6006 Multi Gas JKKP MR 155/02  6009S Mercury  7093C***** P100/ Hydrogen Fluoride

OV	NIOSH approval: Certain organic vapors.
AG	NIOSH approval: Chlorine, hydrogen chloride, and sulfur dioxide or chlorine dioxide or hydrogen sulfide.
OV/AG	NIOSH approval: Certain organic vapors, chlorine, hydrogen chloride, and sulfur dioxide or hydrogen sulfide or hydrogen fluoride.
AM/MA	NIOSH approval: Ammonia and methylamine.
Form	NIOSH approval: Formaldehyde and certain organic vapors.
Multi-Gas/Vapor	NIOSH approval: Certain organic vapors, chlorine, hydrogen chloride, chlorine dioxide, sulfur dioxide, hydrogen sulfide ammonia / methylamine, formaldehyde or hydrogen fluoride.
Merc	NIOSH approval: Mercury vapor or chlorine gas.

¹P95 filter with hydrogen fluoride and nuisance level acid gas relief. (Nuisance levels are less than OSHA PEL)²

²P95 filter with nuisance level organic vapor / acid gas relief. (Nuisance levels are less than OSHA PEL)²

³P100 filter with nuisance level acid gas relief. (Nuisance levels are less than OSHA PEL)²

⁴P100 filter with nuisance level organic vapor relief. (Nuisance levels are less than OSHA PEL)²

⁵P100 cartridge filter with hydrogen fluoride and nuisance level organic vapor and acid gas relief. (Nuisance levels are less than OSHA PEL)²

²3M recommends for relief against nuisance level acid gas or organic vapors. Nuisance levels are less than OSHA PEL or applicable government occupational exposure limits, whichever is lower. Do not use for respiratory protection against gases or vapors.

RESPIRATORY PROTECTION

Maintenance Free

3M™ Particulate Respirator 8210, N95




3M™ 8210 N95 Maintenance Free Respirator is suitable for use in dusty environments or spraying that are not oil-based and do not emit harmful vapors. Packed in a box of 20 pieces per box.

3M™ 8246 R95 Maintenance Free Respirator for Acid Gas




3M™ 8246 R95 Maintenance Free Respirator for Acid Gas is a quick and easy solution to a quick / immediate need for respiratory protection when dealing with acids that produce vapors i.e. during handling / transferring / spraying etc. Packed in a box of 20 pieces per box.

3M™ 8247 R95 Maintenance Free Respirator for Organic Vapors




3M™ 8247 R95 Maintenance Free Respirator for Organic Vapors is a quick and easy solution to a quick / immediate need for respiratory protection when dealing with organic liquids / solvents that produce vapors i.e. during handling / transferring / spraying / in a lab setting etc. Packed in a box of 20 pieces per box.

3M™ 8511 N95 Maintenance Free Respirator with Exhalation Valve




3M™ 8511 N95 Maintenance Free Respirator with Exhalation Valve is suitable for use in dusty environments or spraying that are not oil-based and do not emit harmful vapors. The exhalation valve makes breathing more comfortable for the user as warm / hot air is expelled out of the respirator. Packed in a box of 10 pieces per box.

3M™ 9310 A+ Folded Maintenance Free Respirator




3M™ 9310 A+ Folded Maintenance Free Respirator is for use against dusts / non-oil mists found in a wide variety of industries. These respirators come individually packed in 20 pieces per box.

3M™ 9312 Aura™ / A+ Aura™ Folded Maintenance Free Respirator with Valve




3M™ 9312 Aura / A+ Aura is for use against dusts / non-oil mists found in a wide variety of industries. The exhalation valve allows for warm / hot air to be expelled from the respirator, increasing comfort level. These respirators come individually packed in 10 pieces per box of 20 pieces per box.

Maintenance Free/ Low Maintenance

**3M™ 9320 A+ / A+ Aura™
Folded Maintenance Free
Respirator**
3M


3M™ 9320 A+ / A+ Aura is for use against dusts / non-oil mists found in a wide variety of industries. These respirators come individually packed in 20 pieces per box.

**3M™ 9322 A+ / A+ Aura™
Folded Maintenance Free
Respirator**
3M


3M™ 9322 A+ / A+ Aura is for use against dusts / non-oil mists found in a wide variety of industries. The exhalation valve allows for warm / hot air to be expelled from the respirator, increasing comfort level. These respirators come individually packed in 10 pieces per box.

**3M™ 9010 N95 Folded
Respirator**
3M


3M™ 9010 N95 Folded Respirator is a maintenance free respirator that is individually packed and comes in a box of 50 pieces per box.

3M™ 9105 V-Flex N95
3M


V-shaped pleats flex with mouth movement for easier talking and expand to help breathing. Features adjustable noseclip, embossed front panel, elastic headbands and 3M™ proprietary technology filter media. Packed 50 pieces per box.

3M™ 9105s V-Flex N95
3M


V-shaped pleats flex with mouth movement for easier talking and expand to help breathing. Features adjustable noseclip, embossed front panel, elastic headbands and 3M™ proprietary technology filter media. Packed 50 pieces per box.

**3M™ Reusable Half Face
Mask Respirator 3200 (Rubber)**
3M


3M Reusable Half Face Mask Respirator 3200 it's a low profile design allows a wide field of vision, lightweight that makes long period of wear bearable. It's soft, elastomeric face-fit secures a lasting comfort.

Low Maintenance

3M™ Half Facepiece Single Cartridge Respirator, HF-52



3M™ HF-52 Single Cartridge Half-Facepiece Reusable Respirator gives you the affordable comfort with the durability that you need. HF-50 Series offer premium comfort value with easy breath. Compact and light, it molds itself softly and securely to the contours of your face without blocking your view.

3M™ 6200 Double Half Face Respirator



6100
6200
6300



3M™ 6200 Double Half Face Respirator is a half face double respirator that accommodates 2 pieces of cartridges / filters. The 6200 is a size MEDIUM.

3M™ 6800 Double Full Face Respirator



6700
6800
6900



3M™ 6800 Double Full Face Respirator is a full face respirator which is able to accommodate 2 pieces of cartridges and / or filters. The 6800 model is a size MEDIUM respirator.

3M™ 7502 Silicone Double Respirator



7501
7502
7503



3M™ 7502 Silicone Double Respirator is one of the best-selling respirators where because of the soft nature of the silicone, users find more comfort when wearing it compared to other respirators. Made from one of the highest grades of silicone, this is a sure winner with your end user. Size 7502 is MEDIUM.

3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6502QL/49490, Medium, 10 EA/Case



Resilient silicone faceseal provides comfort, durability, and stability with a soft but firm seal. Quick Latch mechanism makes it easy to drop down the respirator from face without removing head straps. Proprietary 3M™ Cool Flow valve helps reduce heat and moisture to make breathing easier. Low profile half facepiece design offers a wide field of view and compatibility with welding and grinding shields

3M™ FF-40x Series



The 3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series is 3M™'s most rugged facepiece, providing flexibility in X-treme environments while still delivering superior comfort and an exceptional field of view. This facepiece offers an ergonomic, streamlined design for lightweight, balanced comfort. Available in sizes SMALL, MEDIUM and LARGE.

Cartridges / Filters

3M™ Organic Vapor Cartridge, 6001 (2 pieces / packet)**3M**

3M™ 6001 Organic Vapor Cartridge is made for the 6000 and 7000 series respirator that utilizes double cartridges. Sealed in aluminum foil packing, this durable cartridge is made to absorb a wide range of Organic Vapors.

3M™ Acid Gas Cartridge, 6002 (2 pieces / packet)**3M**

3M™ 6002 Acid Gas Cartridge is made for the 6000 and 7000 series respirator that utilizes double cartridges. Sealed in aluminum foil packing, this durable cartridge is made to absorb a wide range of Acid Gases.

3M™ 6003 Organic Vapor Acid Gas Cartridge (2 pieces / packet)**3M**

3M™ 6003 Organic Vapor / Acid Gas Cartridge is made for the 6000 and 7000 series respirator that utilizes double cartridges. Sealed in aluminum foil packing, this durable cartridge is made to absorb a wide range of Organic Vapors and / or Acid Gases.

3M™ 6004 Ammonia Methylamine Cartridges (2 pieces / packet)**3M**

3M™ 6004 Ammonia Methylamine Cartridges is made for the 6000 and 7000 series respirator that utilizes double cartridges. Sealed in aluminum foil packing, this durable cartridge is made to absorb Ammonia Methylamine gas.

3M™ 6005 Formaldehyde Cartridges (2 pieces / packet)**3M**

3M™ 6005 Formaldehyde Cartridges is made for the 6000 and 7000 series respirator that utilizes double cartridges. Sealed in aluminum foil packing, this durable cartridge is made to absorb Formaldehyde gas.

3M™ 6006 Multi Gas / Vapor Cartridges (2 pieces / packet)**3M**

3M™ 6006 Multi Gas / Vapor Cartridges is made for the 6000 and 7000 series respirator that utilizes double cartridges. Sealed in aluminum foil packing, this durable cartridge is made to absorb a wide spectrum of gases and vapors.

3M™ 6009s Mercury / Chlorine Vapor Cartridges**3M**

3M™ 6009s Mercury / Chlorine Vapor Cartridges is made for the 6000 and 7000 series respirator that utilizes double cartridges. Sealed in aluminum foil packing, this durable cartridge is made to absorb Mercury / Chlorine vapor. It is also the only cartridge to have an indicator when it is time to change the cartridge.

3M™ 3311k-55 Organic Vapor Cartridge + Filter**3M**

3M™ 3311k-55 Organic Vapor Cartridge+Filter is ideal for spray painting, chemical spraying and coating, fumigation, degreasing, cleaning and maintenance.

3M™ 3744 Particulate Filter with Carbon Layer**3M**

3M™ 3744 Particulate Filter with Carbon Layer is for use with the 3M™ 3000 series respirator and the 3M™ 3700 filter retainer. Comes packed in a box of 10 pieces / box. Price is per box of 10 pieces.

Cartridges / Filters

3M™ 5N11 N95 Pre-Filter for Low Maintenance Respirators Series**3M**

3M™ 5N11 N95 Pre-Filter for Low Maintenance Respirators Series is the workhorse of the filter series. Used with the 3M™ 501 Filter Retainer to be clamped against the wide range of cartridges, this cost-effective filter meets the vigorous demands of a lot of industries. Packed and priced 10 pieces / box.

3M™ 5P71 P95 Pre-Filter for Low Maintenance Respirators Series**3M**

3M™ 5P71 P95 Pre-Filter for Low Maintenance Respirators Series is the workhorse of the filter series. Used with the 3M™ 501 Filter Retainer to be clamped against the wide range of cartridges, this cost-effective filter meets the vigorous demands of a lot of industries. Packed and priced 10 pieces / box.

3M™ 7093 P100 Particulate Filter**3M**

3M™ 7093 P100 Particulate Filter is used when high level filtration is required in any given industry. Price given is based on each and not pair.

3M™ Filter Retainer, 501**3M**

3M™ 501 Filter Retainer for 3M™ Filter Series is used to keep the 3M™ 5N11 or the 3M™ 5P71 filters clamped firmly against the 6000 series cartridge. Packed and priced at 20 pieces / box.

3M™ 2071 P95 Particulate Filter**3M**

Low profile P95 filter for use in environments that require protection from liquids / aerosols / particulates. Made for and totally compatible with the 3M™ 6000 & 7000 Full Face and Half Face Low Maintenance Double Respirators. Packed 2 pieces / packet.

3M™ 2078 P95 Particulate Filter**3M**

Low profile P95 filter that comes with an integrated carbon layer for the express filtration and removal of odors from nuisance level organic vapors and / or acid gases. Can also be used in environments that require protection from liquids / aerosols / particulates. Made for and totally compatible with the 3M™ 6000 & 7000 Full Face and Half Face Low Maintenance Double Respirators. Packed 2 pieces / packet.

Cartridges / Filters

3M™ 2091 P100 Particulate Filter

3M

Low Profile P100 filter for use in environments that require protection from liquids / aerosols / particulates. Made for and totally compatible with the 3M™ 6000 & 7000 Full Face and Half Face Low Maintenance Double Respirators. Packed 2 pieces / packet.

3M™ 2096 P100 Particulate Filter

3M

Low Profile P95 filter that comes with an integrated carbon layer for the express filtration and removal of odors from nuisance level acid gases. Can also be used in environments that require protection from liquids / aerosols / particulates. Made for and totally compatible with the 3M™ 6000 & 7000 Full Face and Half Face Low Maintenance Double Respirators. Packed 2 pieces / packet.

3M™ 2097 P100 Particulate Filter

3M

Low Profile P95 filter that comes with an integrated carbon layer for the express filtration and removal of odors from nuisance level acid gases. Can also be used in environments that require protection from liquids / aerosols / particulates. Made for and totally compatible with the 3M™ 6000 & 7000 Full Face and Half Face Low Maintenance Double Respirators. Packed 2 pieces / packet.

3M™ 502 Filter Adapter for 3M™ filter Series

3M

3M™ 502 Filter Adapter for 3M™ Filter Series is meant for use with 3M™ 2000 series of filters as well as the 7000series of filters i.e. 7093 / 7093C. Packed and priced at 20 pieces / box.

3M™ 3700 Filter Retainer for 3000 Series

3M

3M™ 3700 Filter Retainer for 3000 Series is made to be used with the 3000 series respirator and the 3M™ 3744 Filter.

Draeger 3350491 Saver CF15

Draeger

Its an emergency escape device that has 15 minutes of breathable air in a small cylinder. Only ship within Peninsular Malaysia.

Misc. / Power Air Purifying Respirator

Draeger PSS 3000 SCBA Set




Includes back plate, harness, steel cylinder and full face mask.

3M™ Jupiter Powered Air Turbo Purifying System




The 3M™ Jupiter Powered Air Turbo Purifying system is a comfortable, easy-to-use system and provides protection against particulates, gases or vapors or against a combination of these contaminants depending on the type of filter being utilized.

It features a modern, ergonomic design and is suitable for shower decontamination and has a highly comfortable decontamination belt.

Electronic audible and visual alarm in case of low battery and / or low air flow. "IS" or Intrinsically Safe kit is available as an optional upgrade. Approved to EN12941 class TH2 or TH3, dependant on head top.

Assigned Protection Factor (APF) rating of 40 with 3M™ VersaFlo S-Series or M-400 Series Head tops and a APF 20 for all others.

3M™ VersaFlo™ Powered Air Purifying Respirator TR-600



Headtops



Filters



Breathing
Tubes



Batteries



Belts



Accessories



The new TR-600 takes the entire VersaFlo system to new levels of confidence, control and comfort. Representing an advanced evolution of technology with increased excellence in powered air respiratory safety, your world of protection just expanded and is better than ever.



HAND PROTECTION

Gloves Selection, selecting the right glove by knowing the hazards your hands face at work. Have your hands enjoy more flexibility and comfort. Having the right fit allows you to perform better.

Glove Materials

- 1) Latex (Natural Rubber)
- 2) Nitrile
- 3) Neoprene
- 4) PVC
- 5) Polyester/Cotton
- 6) Leather

Glove Applications

- 1) General Mechanical Protection
- 2) Cut / Puncture Resistant
- 3) Chemical Resistant
- 4) Contamination Protection

HAND PROTECTION

SOLO GREEN 977



SIZE: 6
7
8
9



Suitable for a wide range of chemical. Good compromise between thickness, suppleness and resistance. Chlorinated for a better doning. Pebbled on fingertips for a good grip.

SOLO BLUE 997



SIZE: 6
7
8
9



Excellent dexterity thanks to flexibility and reduced material thickness. Worn alone or as an outer-glove. Recommended for oily environments in industry.

TELBLUE 351



SIZE: 8
9
10



Good protection against chemical products. Flock-lining adds comfort and perspiration absorption. Embossed textured grip ensures good handling of slippery objects.

ALTO PLUS 260



SIZE: 8
9



Good protection against chemical products. Flock-lining adds comfort and perspiration absorption. Embossed textured grip ensures good handling of slippery objects.

ULTRANITRIL 492



SIZE: 7
8
9



Dexterity and comfort, due to the anatomical shape and the quality of the flock-lining. Longer service life: excellent mechanical resistance (abrasion, perforation)

ULTRANITRIL 480



SIZE: 7
8
9



Optimised service life: excellent mechanical resistance (abrasion, perforation). Excellent protection during intensive handling of high-risk chemical products. Good grip on slippery objects, due to the embossed texture

TECHNIC 450



SIZE: 7
8
9
10



Freedom of movement, due to the supple quality of the neoprene and the comfort of the cotton flock-lining. Good grip, due to embossed texture. Forearm protection: long-sleeved glove.

BUTOFLEX 651



SIZE: 8
9
10



Ultimate specific chemical resistance, for very corrosive acids, ketones, esters and amine derivatives. Unrivalled flexibility and dexterity. In compliance with the requirement of the norm EN 16350, standard for protective gloves - Electrostatic properties : <math>< 1.0 \times 10^5</math>

ULTRANE 500 Grip & Proof



SIZE: 7
8
9



Oilproof, it repels oil penetration and reduce dermatitis. Grip and Proof coating ensures an excellent grip in oily environment. It also reduces muscle strain and boost productivity. Excellent abrasion resistance due to the nitrile coating Long lasting and cost effective glove: washable until 5 cleaning cycles.

TITAN 850



SIZE: 7
8
9
10
11



Shock absorption, durability & comfort for Heavy Duty work. Specific areas are reinforced to bring cushioning protection and comfort where you need it (Upper thumb, Knuckle, Base fingers & Palm). Long lasting coating, gloves stay clean due to their liquid resistance, suppleness guaranteed even after drying.

KRYNIT 582



SIZE: 7
8
9



Special Grip & Proof nitrile coating provides better liquidproofness and grip in oily situations. Optimal cut resistance: level 5 (ANSI Cut 4). Excellent abrasion resistance increases glove lifetime. A visible indicator in blue textile to easily identify the cut-performance level in the workplace. Washable until 5 cleaning cycles.

KRONIT-PROOF 395



SIZE: 8
9
10



Combined long lasting chemical protection and cut protection. Total hand protection, level 5 against cuts. Entirely liquid-proof, withstanding mechanical aggression. Proven long-lasting performance, measured after 5 washes. Good grip for picking up wet and slippery objects safely.

TEMP-TEC 332



SIZE: 8
9
10



Multi-purpose chemical resistance (acids, aliphatic solvents) increased by the thickness of the material. Excellent thermal insulation, due to double-knit cotton. Good grip of wet or slippery objects, due to embossed texture.

STEGO ST-9080 SHELL SERIES



The combination of Impact and Cut protection has combined on ST-9080. Outstanding grip with sandy nitrile palm that is perfect for wet or oily situations. Breathable back hand brings comfort and Hi-viz adding safety on dark or low light working environment.

STEGO ST-9085 SHELL SERIES



SHELL Scale palm gives superior grip and skid resistance in wet, oily or dry applications while maintaining highest levels of mechanical, abrasion and cut performance. SHELL-GRD back-of-hand for flexible impact coverage. Reinforced smooth leather wing thumb patch, Kevlar stitching and perforated padding for secondary impact protection and added durability. Reinforced seams and Kevlar stitching offers durability and extended glove life. Hi-vis color scheme increases visual awareness. Comes with ST-9530 Glove clip accessory.

Rubberex Super Neoprene Neo400 (Black)



Neoprene glove is made from high grade polychloroprene latex offering excellent protection against acids, solvents, oils and grease, abrasion, cuts, and punctures.

Rubberex Nitra NL 15 Nitrile (Green)



SIZE: 9

Gloves is a chemical resistant glove is manufactured from acrylonitrile butadiene compound with proven durability against solvents, oil, fats and bleaching chemical agents.

Tempshield Cryo-Glove Model: EBM. 17" Length



SIZE: M
L



Design offers superior thermal protection, while allowing for a maximum level of flexibility and dexterity - an essential feature when function is important and safety is critical.

Local Cotton Glove KK104

400gm



Woven from cotton thread and machine knitted, fitting smooth to the hand.

Local Cotton Glove KK105

550gm



Woven from cotton thread and machine knitted, fitting smooth to the hand.

Powder-Free Examination Glove

SIZE: S
M
L
XL



Packed 100 pieces per box.

Kevlar Arm Sleeve



Made from Kevlar, these arm sleeves incorporate a thumb 'loop' that help reduce / minimize the movement / slipping of the sleeve as the user goes through his / her day. Enveloping the forearm to near the elbow, these sleeves help ensure that the risk of abrasion / cuts are minimized at the workplace.

Novax Electrician Glove
5000V Testing Voltage, 1000V Working Voltage



These gloves are ideal for use in industries such as electrical contracting, power and communication utilities, transportation and manufacturing. Combine the required dielectric properties of an electrical protective glove with flexibility, strength and durability.

Worksafe Goatskin Premium Natural Leather Gloves



Packed In Per Pair
SIZE: 12




Contains high lanolin content that enhances comfort, prevent skin sensitivity and dryness. Goatskin leather also offers maximum abrasion resistance, durability and dexterity.



PROTECTIVE CLOTHING

The use of proper protective clothing and PPE is essential for all tasks, to ensure minimal risk of injury. Microgard Limited offer a full range of garments and accessories to help keep you protected against hazards, be it gases, liquids or dusts, from aprons through to fully encapsulated suits.

Product Range Overview



Microgard Limited offer a full range of garments and accessories to help keep you protected against hazards, be it gases, liquids or dusts, from aprons through to fully encapsulated suits.

The type of chemical protective clothing worn at work is critical to help keep users safe. The different fabrics available cover a broad spectrum of applications ranging from asbestos removal through to handling hazardous chemicals such as ammonia and hydrofluoric acid. Our technical support team and Business Development Managers can advise you on the most suitable garments to meet your specific needs.

MICROGARD® 1500	Utilising the latest in microfibre technology, MICROGARD® 1500 is highly breathable and has been proven to filter 100% of particles down to 3 microns in size, making it ideal for protecting workers against asbestos and other relatively large hazardous particulates.
MICROGARD® 1500 PLUS	Utilising the latest in microfibre technology, MICROGARD® 1500 PLUS is highly breathable and anti-static. It has been proven to filter 99.9% of particles down to 3 microns in size, making it ideal for protecting workers against low hazard pharmaceutical powders and other relatively large hazardous particulates.
MICROGARD® 2000	MICROGARD® 2000 provides both protection and comfort with the latest microporous film laminate technology, providing exceptional liquid and particulate protection. Ideal for a wide range of industrial applications where protection from low hazard liquid spray and fine particulates is required.
MICROGARD® 2500	A unique material offering exceptional mechanical strength, liquid and particulate protection. MICROGARD® 2500 achieves the highest classifications for protection from biological agents, in accordance with EN 14126: 2003 and ASTM F 1671.
MICROCHEM® 3000	MICROCHEM® 3000 is one of the lightest and most comfortable chemical protective fabrics on the market today. This durable 3 layer fabric provides an extremely effective barrier against both inorganic chemicals and biological hazards.
MICROCHEM® 4000	MICROCHEM® 4000 is an exceptional chemical barrier against many concentrated organic, inorganic chemicals and biological agents. Tested against over 160 chemicals, including chemical warfare agents, this multi layer fabric is renowned for being lightweight yet durable and comfortable.
MICROCHEM® 5000	MICROCHEM® 5000 is the latest addition to Microgard's market leading product range and reaches new levels in chemical protection. This highly visible innovative multi layer fabric is strong, durable and suitable for workers in extremely hazardous areas, including HAZMAT response teams.

MICROGARD® / MICROCHEM® Seam Technology

Microgard Limited use 5 different seam types for its range of protective clothing depending on the fabric and the final application for which it will be used.

	Ultrasonically Welded & Taped Seams A feature throughout the MICROCHEM® 4000 & 5000 range, this seam technology is our highest barrier to liquid and particulates.
	Ultrasonically Welded Seams Provides a strong liquid and particle barrier.
	Stitched & Taped Seams Internal stitching which is overtaped to offer increased strength and an effective barrier to liquids and particulates.
	Bound Seams An overlay of material similar to the base fabric is lock-stitched in place. This technology provides superior strength, liquid and particle barrier when compared to a traditional stitched seam.
	Stitched Seams Microgard Limited utilise 3-thread overlocking technology, which offers an excellent balance of a strong seam with good particle barrier. Internal stitching reduces the risk of any potential linting from the thread.

How do I choose the right chemical protective clothing for the job?

Microgard Limited has devised this simple flowchart as a basic tool to assist users and specifiers in selecting the correct "type" of chemical protective clothing. Many chemicals can cause serious and permanent injury to an unprotected or improperly protected user. Therefore special emphasis has to be placed on the careful selection of chemical protective clothing when the potential for exposure to such chemicals has been identified.

Steps to Perform a Risk Assessment

- 1) Identify the Chemical Hazard
- 2) Determine the Potential for Exposure
- 3) Determine the Exposure consequences



Guide to European Norms and Selection Guide

To assist you with the selection of chemical protective clothing the EU has developed six "types" of chemical protective clothing.

Current European "Types" of Chemical Protective Clothing		
EN "Types"	Definition	Symbol *
EN 943-1 & 2 "Type 1"	Gas Tight Chemical Protective Clothing Protective clothing against liquid and gaseous chemicals, aerosols and solid particulates	 TYPE 1
EN 943-1 "Type 2"	Non Gas Tight Chemical Protective Clothing Suits which retain positive pressure to prevent ingress of dusts, liquids and vapours	 TYPE 2
EN 14605 "Type 3"	Liquid Tight Suits Suits which can protect against strong and directional jets of liquid chemical	 TYPE 3
EN 14605 "Type 4"	Spray Tight Suits Suits which offer protection against saturation of liquid chemicals	 TYPE 4
EN ISO 13982-1 "Type 5"	Dry Particulate Protection Suits which provide protection to the full body against airborne solid particulates	 TYPE 5
EN 13034 "Type 6"	Reduced Spray Suits Suits which offer limited protection against a light spray of liquid chemicals	 TYPE 6

Disclaimer
MICROGARD®/MICROCHEM garments are available for most applications. However please note that a detailed assessment of the nature of the hazard and the working environment should be undertaken prior to the selection of appropriate PPE. Microgard Ltd provides the information in this product catalogue to assist you with selecting the correct product, but responsibility for the correct choice of PPE remains with the user.

Additional Standards achieved by the MICROGARD® product range		
Standard	Definition	Symbol*
EN 1073-2**	Protective clothing against radioactive particulate contamination	 EN 1073-2
EN 14126	Protective clothing against infective agents ("Type" prefixed with "-B" [i.e. Type 3-B] indicates approval to this European Norm)	 EN 14126
EN 1149-1 EN 1149-5	Protective Clothing with electrostatic properties***	 EN 1149
DIN 32781	Protective Clothing. Protective suits against pesticides	 DIN 32781
EN ISO 14116	Protective Clothing Limited flame spread materials, material assemblies and clothing	 EN ISO 14116 MIRA 1416
EN 12941	Respiratory protective devices. Powered filtering devices incorporating a helmet or a hood	 EN 12941

* Type approvals do not necessarily apply to accessories. Always refer to the garment label and instructions for use document which will indicate the protection level offered.

** Gives no protection against radioactive radiation

*** Always ensure the garment and wearer are properly grounded

Factors to Consider

Advice on the suitability of chemical protective clothing for a task is very often based on reported permeation breakthrough times. The standard test methods used for measuring breakthrough time [i.e. EN 374-3, ISO 6529, ASTM F 739] are often regarded as representing the "worst case scenario", since the chemical is held in direct contact with the barrier material. Intermittent contact or splashes of chemical, in real-life, may in fact lengthen the breakthrough time. Also, laboratory generated chemical permeation data may not always reflect conditions in the workplace. Temperature, pressure, flexing etc. could all potentially have an impact on the breakthrough time. When choosing chemical protective clothing consideration has to be given to permeation and penetration, and the physical performance attributes of the product (abrasion, tear, tensile, strength etc.) Other physical properties to consider are the strength of seams and closures [i.e. zips] the flexibility, weight and comfort factors [i.e. thermal insulation, breathability etc.] The best chemically resistant material will be ineffective if torn, cut, punctured or otherwise damaged.

PROTECTIVE CLOTHING

MG1500 Plus Coverall c/w Hood



SIZE: M
L
XL
XXL



Microgard® 1500 Plus features a high quality 3-layer anti-statics SMS fabric. Elasticated hood, waist, wrist and ankles.

MG2000 Standard Coverall c/w Hood



SIZE: M
L
XL
XXL



Protection from infective agents, pesticides, particulates, fibres and liquid chemical spray. Bound seams ensure spray tight protection.

MG2000 Comfort Coverall c/w Hood



SIZE: M
L
XL
XXL



Lightweight, breathable microporous film fabric front body, sleeves and legs with high-wicking, breathable back panel.

Microchem 3000-111 Coverall Yellow



SIZE: S
M
L
XL
XXL



Featuring a soft and flexible 3-layer fabric, strong ultrasonically welded seams and an effective chemical barrier against most inorganic chemicals. Chemicals handling or transportation. Packed individual.

Microchem 4000-111 Coverall Green



SIZE: S
M
L
XL



Featuring a soft and flexible 3-layer fabric, strong ultrasonically welded seams and an effective chemical barrier against most inorganic chemicals. Chemicals handling or transportation. Packed individual.

Level A Suit



SIZE: S
M
L
XL



Vinyl Apron - Full Length



Full length vinyl apron protects against liquid splashes and certain chemicals.

Local Polyurethane Rainsuit Set Jacket & Pants RC-8020



Heavy duty visibility rainsuit.

Local Cotton Coverall with Long Sleeve(plain).



Robust cotton coverall complete with reflective strips around the base of the legs, end of sleeves and across the back. Actual product design may differ slightly from the image pictured here. Zippered front and button-down flap.



FOOT PROTECTION

The right protection on the work floor requires more than just a steel toecap. Unsuitable outsole types can lead to electric shocks and cause you to slip and fall. The wrong insoles can cause foot, ankle and lower back pains due to poor fit and lack of support. Long hours of wear lead to warm, wet conditions in the boots, which are ideal for fungus to grow.

All footwear has a protective toe and offers impact and compression protection. But the type and amount of protection is not always the same. Different footwear protects in different ways. Check the product's label or consult the manufacturer for proper shoe recommendation.

FOOT PROTECTION

TOPSAFE TS-301 Footwear

TOPSAFE
SAFETY FOOTWEAR



3" Lace-up Shoe in Black Barton Print
c/w S.T.C.

TOPSAFE TS-501 Footwear

TOPSAFE
SAFETY FOOTWEAR



5" Lace-up Shoe in Black Barton Print
c/w S.T.C.

TOPSAFE TS-901 Highcut

TOPSAFE
SAFETY FOOTWEAR



9" Slip-on Boot in Black Barton Print
c/w S.T.C.

WORKSafe Wellington Vulcan Boots(Black)

WORKSafe



c/w steel toe cap & midsole (Black)

WORKSafe Wellington Vulcan Boots(Yellow)

WORKSafe



c/w steel toe cap & midsole (Yellow)

Comfort Steel CSL 105SP Safety Shoes



Standard safety shoes with industry standard steel toe cap and steel mid-sole plate.

Low Cut - 21281 Safety Shoe (Black)

Nitti



Padded collar with Cambrelle® lining, Wide steel toe cap, Full length steel midsole, Removable pre-moulded comfort insole

Mid Cut 22281 Safety Shoe (Black)

Nitti



Mid cut 7" lace design, Wide steel toe cap, Full length steel midsole, Removable pre-moulded comfort insole

High Cut - 23281 Safety Shoe (Black)

Nitti



High cut 10" elastic slip-on design, Wide steel toe cap, Full length steel midsole, Removable pre-moulded comfort insole, Water resistant upper

Ironsteel T-13 Trail Brown Leather Footwear



Strong cement construction.

Ironsteel S-401A / S-401B Navigator II Safety Shoes



Standard safety shoes with industry standard steel toe cap.

Ironsteel 28230 Ragger Safety Shoes



Standard safety shoes with industry standard steel toe cap.

Ironsteel T-106 Cougar Safety Shoes



Standard safety shoes with industry standard steel toe cap. Slip on version, no shoe lace.

Ironsteel T-124 Climber Safety Shoes



Standard safety shoes with industry standard steel toe cap.

Ironsteel T-311 Grey Suede Safety Shoes



Standard safety shoes with industry standard steel toe cap.

Harvik 9687 Fire Fighting Boots



Harvik range of industrial and fire fighting boots are all hand made by skilled craftsmen and each component of the boots are thoroughly researched and tested to the highest level of performance. The boots are made of specially formulated rubber compounds, which offers outstanding ozone resistance, as well as heat/cold, oil, chemical and abrasion resistances.



Safety Jogger Safety Shoes - Bestboy



Standard safety shoes that come with industry-grade steel toe cap.

Safety Jogger BestBoot High Cut Safety Boots



A high cut safety boot that utilizes high-quality soft leather for long lasting durability and superior comfort for every day use.

Safety Jogger Safety Shoes - Bestrun



Standard low cut safety shoe. Light weight and comes with the industry standard steel toe cap, slip resistant sole as well as being chemical, oil and alkaline resistant. Lace up version only.

Safety Jogger Safety Shoes - Bestgirl



Slightly similar in design with the Bestrun, the Bestgirl was made for the ladies in the industry. With lighter leather and steel toe cap, this model is one for the more discerning ladies wanting to be protected at work.

Safety Jogger Safety Shoes - Ceres



Slightly similar in design with the Bestrun, the Ceres was made for the ladies in the industry. With lighter leather and steel toe cap, this model is one for the more discerning ladies wanting to be protected at work.

KING'S KWD807 Full Grain Leather Slip-on Safety Shoe



Dual density polyurethane (PU) sole with softer midsole to cushion shock impact (SRC Outsole). Lightweight & slip resistant PU sole. Sole resistant to oils and acids/alkalis. Antistatic

KING'S KWS800 Full Grain Leather Laced Safety Shoe



Single density light-weight and slip resistant polyurethane (PU) sole (SRC Outsole). Sole resistant to oils and acids/alkalis. Antistatic

KING'S KWD805 Full Grain Leather Pull-up Safety Boot



Dual density polyurethane (PU) sole with softer midsole to cushion shock impact (SRC Outsole). Lightweight & slip resistant PU sole. Sole resistant to oils and acids/alkalis. Antistatic

GAS DETECTION



GAS DETECTION

Dräger Pac® 6000
Personal Gas Monitor/Detector

Dräger



The disposable personal single-gas detection device, Dräger Pac® 6000, measures CO, H₂S, SO₂ or O₂ reliably and precisely, even in the toughest conditions. The robust design, quick sensor response times, and a powerful battery ensure maximum safety for up to two years with virtually no maintenance required.

Dräger Pac® 6500
Personal Gas Monitor/Detector

Dräger



The robust Dräger Pac® 6500 is your reliable companion under tough conditions. The personal single-gas detection device measures CO, H₂S, SO₂ or O₂ quickly and precisely. Quick sensor response times and a powerful battery also ensure safety.

Dräger Pac® 8000
Personal Gas Monitor/Detector

Dräger



With the robust Dräger Pac® 8000, you'll be well equipped for tough conditions: this non-disposable, personal single-gas detection device is a reliable and precise instrument, which detects hazardous concentrations of 29 different gases, including special gases like NO₂, O₃ or COCl₂.

Dräger Pac® 8500
Personal Gas Monitor/Detector

Dräger



The Dräger Pac 8500® single-gas detection device is a reliable and precise instrument even under the toughest of conditions. The device can be equipped with a hydrogen-compensated CO sensor or a Dräger dual sensor. This gives you the option of measuring two gases at once: either H₂S with CO or O₂ with CO.

Dräger X-am 125
External Pump

Dräger



The pump is attached onto the X-am 2500/5000/5600 and fastened with a clip. Pumping starts automatically once pump and running gas detection device are connected. The pump turns off automatically once it is removed from the device. Using the X-am with the pump has no effect on the measuring performance for standard gases.

Gas Alert Extreme –
Single Gas Detector



With easy on/off operation, this single gas detector offers extended longevity with a two year field-replaceable battery and sensor. Calibration is a simple automatic procedure and is compatible with BW Technologies by Honeywell's Micro-Dock II automatic test and calibration system. A wide range of user options, multi-language display and datalogging functionality make the GasAlert Extreme an ideal solution for many applications.

Honeywell BW MicroClip Series – Multi-Gas Detector



With that combination of benefits, it's no wonder the Honeywell BW™ MicroClip is the world's most popular multi-gas detector, serving as your trusted companion in hazardous environments — keeping you safe without weighing you down. Plus, it's the first multi-gas detector with a rating of IP68 for unmatched water protection — up to 45 minutes at a depth of 1.2m. So you can be confident it will stand up to challenging conditions.

Choose from two detectors, both with extended 18-hour battery runtime, one-button operation and Honeywell's rigorous approach to quality:
 Honeywell BW™ MicroClip XL: low up-front cost with a two-year warranty.
 Honeywell BW™ MicroClip X3: three-year warranty and a new oxygen sensor that extends overall expected service lifetime to 5 years.

GasAlertMicro5 Series – Multi-Gas Detector



Providing protection from up to five potential atmospheric hazards including oxygen, combustible and toxic gases, GasAlertMicro 5 is unparalleled in its versatility, capability and overall value. BW Technologies by Honeywell's newest addition to its water-resistant line of portable gas detectors has transformed the market with its matchless array of features.

Continuously monitoring and displaying concentrations of up to five gases, the compact and lightweight GasAlertMicro 5 was designed and engineered with an extensive host of applications in mind.

Dräger X-am® 5000 Personal Gas Monitor/Detector



The Dräger X-am® 5000 belongs to a generation of gas detectors, developed especially for personal monitoring applications. This 1- to 5-gas detector reliably measures combustible gases and vapors as well as O2 and harmful concentrations of toxic gases, organic vapors, Odorant and Amine.

Dräger X-AM® 2500 Personal Gas Monitor/Detector




The Dräger X-am® 2500 was especially developed for use as personal protection. The 1 to 4 gas detector reliably detects combustible gases and vapours, as well as O2, CO, NO2, SO2 and H2S. Reliable and fully mature measuring technology, durable sensors and easy handling guarantee a high degree of safety with extremely low operating costs.

Servicing of Gas Detector, Change of Sensors & Miscellaneous Work



The biannual / annual servicing of gas detector(s), changing of sensors when needed and general maintenance of your gas detectors is something that we do. Call us for more information!

EMERGENCY SHOWER / EYEWASH



EMERGENCY SHOWER/ EYEWASH

Shower / Eyewash Combination Units

Haws 8300CRP Axion MSR Emergency Shower / Eyewash



Haws 8300CRP Axion MSR Emergency Shower / Eyewash combination unit come with CRP coating for added resistance to corrosive environments like onshore / offshore installations, high heat areas, extremely humid areas etc.

Haws 8309 Axion Emergency Shower / Eyewash



Haws 8309 Axion MSR Emergency Shower / Eyewash with ABS Shower Head is a robust emergency shower / eyewash and model 8309 is certified by CSA to meet the ANSI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 8317 Axion Emergency Shower / Eyewash



Haws 8317 Axion Emergency Shower / Eyewash comes without a eyewash bowl. The foot-flange is also an optional add-on. The Haws 8317 is certified by CSA to meet the ANSI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 8320 Axion Emergency Shower / Eyewash



Haws 8320 Axion Emergency Shower / Eyewash comes with a ABS Eyewash bowl and can be customized to have either the Stainless Steel Showerhead or the ABS Showerhead is certified by CSA to meet the ANSI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Shower / Eyewash Combination Units / Eyewash Only

Haws 8330 Axion Emergency Shower / Eyewash



Haws 8330 Axion Emergency Shower / Eyewash is a fully stainless steel option for the emergency shower / eyewash. Made of high grade SS316 for integral parts of the item. The model 8330 is certified by CSA to meet the ANZI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 8336 Axion Emergency Shower / Eyewash



Haws 8336 Axion Emergency Shower / Eyewash is a fully PVC emergency equipment, crafted from the highest quality ABS for your peace of mind. The model 8336 is certified by CSA to meet the ANZI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 8100 Axion Emergency Shower



Haws 8100 Axion Emergency Shower only comes with a fully ABS Showerhead incorporating the new Axion Water dispersion technology. The model 8100 is certified by CSA to meet the ANSI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 7620 eyePod Emergency Eyewash



Designed for use in any area where plumbing in a new eyewash would be too costly, the **Haws 7620 eyePod** is the latest revolutionary product in the personnel protection industry. Supplied with multiple faucet adapter kits, this eyewash attaches to any 'goose-neck' faucet and is ready for use immediately. Merely twisting the eyePod activates the eyewash and turning it back transforms it into a regular faucet again. Comes with an in-built thermostat that shuts off water if it goes above 36 degrees Celcius, ensuring optimal flow safe for eyes with the in-built flow control for water pressure.

Eyewash only / Shower Only

Haws 7260BT Axion Emergency Eyewash



Haws 7260BT Axion Emergency Eyewash is a wall mounted eyewash with trap and filter included. Please note that the model 7260BT is certified by CSA to meet the ANZI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 7461 Axion Emergency Eyewash



Haws 7461 Axion Emergency Eyewash is a floor pedestal eyewash with a push flag. The foot flange is an optional item. The model 7461 is certified by CSA to meet the ANZI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 7500 Portable Eyewash (16 gallons)



Haws 7500 Portable Eyewash (16 gallons) is a portable unit that allows for quick response in areas where a source of portable water for washing eyes in an emergency is not available.

Haws 7501 Portable Eyewash (9 gallons)



Haws 7501 Portable Eyewash (9 gallons) is a portable unit that allows for quick response in areas where a source of portable water for washing eyes in an emergency is not available. The model 7461 is certified by CSA to meet the ANZI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 8122 Axion Emergency Shower (Horizontal/Vertical)



Haws 8122 Axion Emergency Shower (Horizontal/Vertical) allows for the installation of the shower either horizontally or vertically. Please specify when ordering. The model 8122 is certified by CSA to meet the ANZI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 8123 Axion Emergency Shower (Horizontal/Vertical)



Haws 8123 Axion Emergency Shower (Horizontal/Vertical) is a fully stainless steel emergency shower only. The model 8123 is certified by CSA to meet the ANZI Z358.1-2009 Standard for Emergency Eyewash and Shower Equipment.

Haws 9082 Bacteriostatic Preservative



Haws 9082 Bacteriostatic Preservative is packed in single 250ml (8oz) bottles. There are 4 bottles/case. Price is per case. This preservative is to be used only with clean potable water. When used as directed, one 8 oz. bottle will preserve 6 to 20 gallons of potable water for up to six months. Shelf life is up to two years.

Haws SP65 AXION® MSR Eye/face Wash Head



Model SP65 AXION MSR eye/face wash inverted flow design is the only product on the market that provides a Medically Superior Response consistent with all EMT, emergency room and doctors' office protocols by sweeping contaminants away from the vulnerable nasal cavity. Traditional eyewashes irrigate from the outside edge of the eye back toward the nose, where contaminants can then be flushed into the nasal cavity through the lacrimal punctum, nature's ocular cavity drains. Eyewash streams provide Zero Vertical Velocity™ stream engineering with even laminar flow for enhanced comfort, stability and effectiveness. (Not for use with freeze protected models)

Haws SP829 MSR Showerhead



Model SP829 AXION® MSR 10-5/8" (27 cm) ABS green plastic drench showerhead delivers dispersed flow for uniform drenching. This new hydrodynamic design minimizes the strong physical pressure that drives the water to the outer rim making the distribution equal across the entire footprint of the flow. Better use of the water flowing through the shower makes it more effective while providing a more comfortable environment by breaking the streams of water into smaller individual droplets. Inlet 1" NPT.

Haws SP220SS Foot Treadle Assembly



Model SP220 is a complete foot control assembly, including chain, clamp, nut, ring, screw, spring and treadle. For use on pedestal and combination units.

Haws Conversion Kit



Consisting of the new Axion MSR Eyewash and adapter kit and the new Axion MSR Shower Head (ABS Plastic), this is a quick in-field upgrade for existing units with old design of eye/facewash and shower head. Great and quick way to upgrade in the field and get all your Haws Emergency Shower and Eyewash units in compliance.

Haws 9007, 9008 Portable Cart



Heavy duty portable cart for use with Haws' range of portable eyewashes. Comes with durable rubber wheels and a flat base for use with a waste water container.



FALL PROTECTION

FALL PROTECTION

Harnesses

3M™ DBI-Sala Tower Climbing Harness, 1108650



3M™ DBI-Sala 1108650 Tower Climbing Harness allows for tower climbers / rigger to 'sit' in their harnesses by means of an extra strap which allows the connection of a work positioning lanyard which will free up both hands for work. Meets/complies with ANSI Z359 standard and is the first harness that meets with OSHA, ANSI, CSA, CE/EN, and AS/NZS requirements (without modifications).

3M™ DBI-Sala 1001004 Full Body Seat Harness



3M™ DBI-Sala 1001004 Full Body Seat Harness allows for a team member to perform his/her duties with both hands free as they sit in an actual 'swing-like seat' that is securely fastened to an overhead anchorage. The seat harness features a full body harness and the user is always 'connected'.

3M™ DBI-Sala Delta II Construction Full Body Harness, 1101655



3M™ DBI-Sala 1101655 Delta II Construction Full Body Harness features a comfortable work positioning belt, 2 sternal rings, 2 rings for work positioning, 1 dorsal D-Ring and tongue/buckle style adjustable leg straps and belt.

3M™ DBI-Sala 1109800 Exofit XP Crossover Full Body Harness



3M™ DBI-Sala 1109800 Exofit XP Crossover Full Body Harness is a crossover style harness which comes with 1 front and 1 back D-Ring as well as Quick-Connect Buckles.

3M™ DBI-Sala 1110150 Exofit XP Body Harness



3M™ DBI-Sala 1110150 Exofit XP Body Harness comes with a work positioning belt that features a tongue buckle, Quick-Connect buckles for shoulders and pelvic straps and comfortable padding on the back.

Harnesses / Anchorages

3M™ Protecta 1390010 First
Harness 1 Dorsal D-Ring

3M™ Protecta 1390010 First Harness 1 Dorsal D-Ring is an economical range of a Full Body Harness that does not compromise on the quality that is associated with the Protecta brand. Comes with fully adjustable thigh and chest straps and conforms to CE0086 EN361:2002.

3M™ DBI-Sala 2103143
Adjustable Trolley Anchor

3M™ DBI-Sala 2103143 Adjustable Trolley Anchor is a over-the-head trolley anchor that glides along on a I-beam. The width is adjustable to fit common sized I-beams. Complies with EN-795 class B.

3M™ Protecta AM45/150
Webbing Sling Anchorage

3M™ Protecta AM45/150 Webbing Sling Anchorage is 1.5M in length and can be used as an approved anchorage point. Breaking strength is >2,200daN. Conforms to CE0086 EN795 Class B.

Lanyards

3M™ DBI-Sala 3102000 Twin Self-Retracting Lanyards



3M™ DBI-Sala 3102000 Twin Self-Retracting Lanyards features twin-tail self retracting 6' lanyards equipped with 2 large snap hooks. This unique lanyard removes the danger/hassle of conventional dangling ropes to maneuver around when climbing. Complies with ANSI Z359.1, CSA Z259.1 (type 1) and CE compliant models are available as well.

3M™ Protecta AE522/1 Sanchoc Shock Absorbing Lanyard 1.5M



3M™ Protecta AE522/1 Sanchoc Shock Absorbing Lanyard 1.5M comes with 2 x AJ501 Carabiners and 1 x Shock Absorbing pack that deploys when the force of a fall is significant and reduces the force impact on the user's body. Comforms to CE0086 EN355.

3M™ Protecta AE522/3 Sanchoc Shock Absorbing Lanyard 1.5M



3M™ Protecta AE522/3 Sanchoc Shock Absorbing Lanyard 1.5M comes with 2 x AJ565 small snap hooks and 1 x shock absorbing pack that deploys when the force of a fall is significant and reduces the overall force on the user's body. Comforms to CE0086 EN355.

3M™ Protecta AE522/5 Sanchoc Shock Absorbing Lanyard 1.5M



3M™ Protecta AE522/5 Sanchoc Shock Absorbing Lanyard 1.5M comes with 1 x AJ565 small snap hooks and 1 x shock absorbing pack that deploys when the force is significant enough and reduces the overall force upon the user's body. Comforms to CE0086 EN355.

3M™ Protecta AE522/6 Sanchoc Shock Absorbing Lanyard 1.5M



3M™ Protecta AE522/6 Sanchoc Shock Absorbing Lanyard 1.5M comes with 1 x AJ501, 1 x AJ595 Large Snap Hook and 1 x shock absorbing lanyard that deploys when the force of the fall is significant enough and will reduce the overall force upon the user's body.

Lanyards

3M™ Protecta AE532/3 Sanchoc Shock Absorbing Lanyard 1.8M



3M™ Protecta AE532/3 Sanchoc Shock Absorbing Lanyard 1.8M comes with 1 x AJ565 small snap hook, 2 x AJ595 large snap hooks and 1 x shock absorbing pack. Conforms to CE0086 EN355.

3M™ Protecta AF764T2 Work Positioning Lanyard



3M™ Protecta AF764T2 Work Positioning Lanyard is a flexible work positioning lanyard that comes with 1 x AJ565 small snap hook and a re-positionable clasp. This is a 2M lanyard. Conforms to CE0086 EN358.

3M™ Protecta AL420C1 2M Lanyard



3M™ Protecta AL420C1 2M Braided 2M Lanyard comes with 2 x AJ565 small snap hooks and a braided rope of 2M. The system breaking strength is >2,200daN. Conforms to CE0086 EN354.

3M™ Protecta AL420C2 2M Braided 2M Lanyard



3M™ Protecta AL420C2 2M Braided 2M Lanyard comes with 1 x AJ565 small snap hook and 1 x AJ595 large snap hook. The overall breaking strength of the system is >2,200daN. Conforms to CE0086 EN354.

3M™ Protecta AL432/1 Braided Y-Lanyard 1.3M



3M™ Protecta AL432/1 Braided Y-Lanyard 1.3M is a twin tail lanyard with 1 x AJ501 Carabiner and 2 x AJ595 large snap hooks. Conforms to CE0086 EN354.

3M™ DBI-SALA 1241462 EZ Stop Retrax Lanyard



3M™ DBI-SALA 1241462 EZ Stop Retrax Lanyard Ez Stop Lanyard, Retracts And Expands From 2.5 Ft To 6ft, 1-3/8" Webbing, W/9502058.

Connectors / Self Retracting Lifeline

3M™ Protecta 1390399 - First S/A Rope Lanyard



3M™ Protecta 1390399 - First S/A Rope Lanyard 1 Auto-Lock Carabiner, 1 Scaffold. 12mm diameter.

3M™ Protecta 1390235 - First Double Lanyard Forked Rope



FIRST Shock Absorbing Lanyard with 2 Scaffold Hook and 1 Carabiner.

3M™ Protecta AL501 Screw-Lock Carabiner Connector



3M™ Protecta AJ501 Screw-Lock Carabiner Connector is made of high-grade quality steel with a breaking strength of >25kN. Conforms to CE0086 EN362.

3M™ Protecta AM100 Mobile Tripod Anchorage



3M™ Protecta AM100 Mobile Tripod Anchorage is a system with 8 configurable positions and is made from high quality aluminium. The head is cast in high-strength aluminium and the breaking strength of the system is >1,500daN. Conforms to CE0086 EN795 Class B.

3M™ Protecta AT200/120 Emergency Rescue Winch



3M™ Protecta AT200/120 Emergency Rescue Winch comes with 20M stainless steel cable, has a system breaking strength of >1.2 tonnes, and weighs 9.2kgs. Conforms to CE0086 1496.

3M™ Protecta AA110 Building Kit System



3M™ Protecta AA110 Building Kit System consists of:
 a. 1 x AB10213 Full Body Harness
 b. 1 x AC202/03 Fall Arrester
 c. 1 x AC210 10M Rope
 d. 1 x AK051 Carrying Bag

Systems

Connectors / Self Retracting Lifeline / Systems

3M™ CSG Protecta Cabloc Vertical Fall Protection System



The mainstay of the Protecta brand, the Cabloc Vertical Fall Protection System has been installed on countless buildings and other structures around the globe. Here in Malaysia, it was one of the pioneer lifelines to be installed for our local telco corporations at thousands of their towers nationwide. A no-fuss, easy to install system, the Cabloc is guaranteed to comply with local regulations and you can rest easy when it comes to compliance and safety.

3M™ Protecta AT052/1 Pulley for the AM100 Mobile Tripod System



3M™ Protecta AT052/1 Pulley for the AM100 Mobile Tripod System is to be used in tandem with the AT200/120 Winch system. System breaking strength is >2,000daN.

3M™ DBI-SALA 8000010 Aluminium Tripod



7 ft aluminium tripod w/adjustable locking legs, safety chains, rubber safety shoes containing spiked edges, top pulley assembly and mounting bracket base.

3M™ CSG Uniline Horizontal Fall Protection System



The newest member of the Capital Safety Group, Uniline offers a plethora of choices when it comes to the horizontal lifeline offerings. Depending on your requirement, existing roofing structures or planned structure, Uniline will probably have a solution for you. Give us a call to find out more.



SPILL RESPONSE

SPILL RESPONSE

3M™ C-SKFL-31 Chemical Spill Kit

3M



Spill kits combine all the features of 3M™ Sorbents. Each kit contains 2 rolls of folded sorbent (each 5 inches by 50 feet), 30 pads (each 17 inches by 19 inches), 3 temporary disposal bags and ties, and one 20 gallon yellow drum.

3M™ P-SKFL-31 Petroleum Spill Kit

3M



This unique combination allows you to easily select the product to fit the response. Spill kits combine all the features of 3M™ Sorbents. Kit is packaged in a 20 gallon drum. For use in oil-only Sorbent applications.

3M™ C-PD914DD Chemical Sorbent Pads

3M



A low-profile design, so that it can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas. Packed 25 pads per box.

3M™ HP156 Oil Sorbent Pads

3M



Easy to apply and retrieve, these pads are highly absorbent and can be used on land and water in numerous clean up and maintenance applications. Each pad has a 1.4 Litre capacity. Dimensions 43cm x 48cm x 0.5cm.

3M™ C-FL5500DD Folded Chemical Sorbent

3M



For use on most aggressive (hazardous) and non-aggressive liquids. Four Sorbents in one - use as a boom, pillow, pad, or roll. Each perforated sheet unfolds to approximately 18" x 16".

3M™ P-FL550DD Folded Petroleum Sorbent

3M



Four Sorbents in one - use as a boom, pillow, pad, or roll. Each perforated sheet unfolds to approximately 18" x 16".

3M™ SRP-Chem
Chemical Sorbent Pack



A quick and efficient way to deploy 3M™ Chemical Sorbents to help absorb and contain small spills. The pack serves a dual function from being the carrying case to a portable and highly visible temporary signage. Comes with 3M™ chemical boom sorbents as well as absorbent pads.

3M™ SRP-Petro Oil Sorbent Pack



A quick and efficient way to deploy 3M™ Oil Sorbents to help absorb and contain small spills. The pack serves a dual function from being the carrying case to a portable and highly visible temporary signage. Comes with 3M™ oil boom sorbents as well as absorbent pads.

Crisben Mercury Spill Kit



Mercury spill kit is for small Mercury spills due to broken thermometer, thermostat/ Sphygmomanometer and other equipment containing Mercury.

Crisben Universal Absorbent
Pads (Dimpled)



Universal Absorbent Pads are for general purposes use from Oil, Water or Chemical emulsions to general Chemicals such as Glycol, Thinner, Radiator fluid, manufacturing waste discharge etc.

Crisben Oil Absorbent Pads
(Non-woven)



Crisben Oil Absorbent Pads are oleophilic, hydrophobic and floats on water even when saturated. Adsorbs efficiently on all oil/hydrocarbons and derivate products. Excellent for skimming sheens of oil off the water surface.

Crisben Mobile Oil Spill Kit



Crisben Oil Spill Kits provides a complete solution in handling an Oil Spill; from containment to total clean up. The advent of this Oil Spill, the race against time is crucial. All employees must be able to respond. That is why in Crisben, we emphasize on Spill Response Training to all our Customers.

Crisben Chemical Spill Kit - 20L

crisben



This Chemical spill clean-up kit comes in a 20 litres Canvas Bag to allow rapid deployment to any part of your site. The kit contains a range of absorbents for non Noxious Chemical spills and has been approved for use in many ISO 14001 certification and compliance exercises.

Crisben Chemical Spill Kit - 50L

crisben



This Chemical spill clean-up kit comes in a 50 litres Canvas Bag to allow rapid deployment to any part of your site. The kit contains a range of absorbents for non Noxious Chemical spills and has been approved for use in many ISO 14001 certification and compliance exercises.

Crisben Chemical Mobile Spill Kit Bin 120L - SKC 120

crisben



This Chemical spill clean-up kit comes in a 120 litres Wheeled Bin to allow rapid deployment to any part of your site. The kit contains a range of absorbents for non Noxious Chemical spills and has been approved for use in many ISO 14001 certification and compliance exercises.

Crisben Chemical Mobile Spill Kit Bin 240L - SKC 240



This Chemical spill clean-up kit comes in a 240 litres Wheeled Bin to allow rapid deployment to any part of your site. The kit contains a range of absorbents for non Noxious Chemical spills and has been approved for use in many ISO 14001 certification and compliance exercises.

Greenwipes®



Compatible List

- All Types of Oil or Hydrocarbon based liquid
- All Types Dirt or Dust
- All Types of Grease
- All Types of Chemical & Solvents



Industrial Multi-Purposes Wiper

Greenwipes® BOX is made from materials which comprised of highly absorbent cellulose fibers and a special fabric. The result is an ultra-strong & high absorbing multi-purpose cloth that is ideal for cleaning, wiping products, machines and workplaces. It picks up dirt & absorbs all kinds of liquids and leave behind an exceptionally clean surface. The wipes can also be washed and re-use for several times before disposal.



LOCKOUT TAGOUT

LOCKOUT TAGOUT

Cable and Chain Lockout / Circuit Breaker Lockout

Brady 65318 Original Cable Lockout Device c/w 6' Cable



Cable lockout device is perfect for your difficult lockout situations such as large gate valves or oversized devices. Standard lockout device comes with 6' x 1/8" diameter cable.

Brady 65329 Oversized Breaker Lockouts



Oversized breaker lockout is the perfect device for 480/600V switches up to 2 1/4" wide and 7/8" thick. Made of durable polypropylene and glass filled impact-modified nylon.

Brady 65396 120/277V Clamp-On Breaker Lockout



Clamp-on breaker lockouts are easy to install using patented thumbscrew design. Accepts lock shackles up to 9/32" in diameter. Made of rugged polypropylene and impact modified nylon.

Brady 65397 480/600V Clamp-On Breaker Lockout



Clamp-on breaker lockouts are easy to install using patented thumbscrew design. Accepts lock shackles up to 9/32" in diameter. Made of rugged polypropylene and impact modified nylon.

Brady 66320 Universal Multi-Pole Breaker Lockout



It is made of durable impact-modified nylon and is compatible with most two or three pole breakers with a tie-bar. Packed in 6 each per packet.

Brady 66321 Universal Multi-Pole Breaker Lockout



It is a single device that can be used with most major multi-pole breakers that employ a tie bar. It is made from durable glass-filled nylon with a stainless steel screw.

Brady 90844 Miniature Circuit Breaker Lockout (Pin Out Standard)



Standard "Pin" style lockouts install easily with the aid of a push button.

Brady 90845 Miniature Circuit Breaker Lockout (Pin Out Standard)



Standard "Pin" style lockouts install easily with the aid of a push button. Packed in 6 each per packet.

Brady 90847 Miniature Circuit Breaker Lockout (Pin In Standard)



Standard "Pin" style lockouts install easily with the aid of a push button.

Circuit Breaker Lockout / Group Lockout Hasps / Safety Padlock / Tags

Brady 65375 Red Lockout Hasps with 1" Jaw



Lockout hasps are the answer to your safety concerns during group lockout situations. Hasps are constructed of vinyl-coated high tensile steel and are plated to resist rust. Lock holes are 3/8" diameter to accommodate most standard lock shackles. Packed 12 each per packet.

Brady 65376 Red Lockout Hasps with 1.5" Jaw



Lockout hasps are the answer to your safety concerns during group lockout situations. Hasps are constructed of vinyl-coated high tensile steel and are plated to resist rust. Lock holes are 3/8" diameter to accommodate most standard lock shackles. Packed 12 each per packet.

Brady 65960 Labeled Lockout Hasps - Red Aluminium



Constructed from tough 5052 anodized aluminium alloy with tamperproof locking tabs, they are impossible to remove while locks are still in place. Each hasp has 6 lock holes which are 5/16" diameter.

Brady 65960 Labeled Lockout Hasps - Red Aluminium



Constructed of heavy duty polyester, our durable tags offer completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures. Packed 25 each per packet.

Brady 65521 Heavy Duty Polyester Tags - 5.5" x 3"



Constructed of heavy duty polyester, our durable tags offer completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures. Packed 25 each per packet.

Brady 65502 Heavy Duty Polyester Tags - 5.5" x 3"



Offer completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures. Packed in 25 each per packet.

Brady 90848 Miniature Circuit Breaker Lockout (Pin In Standard)



Standard "Pin" style lockouts install easily with the aid of a push button.

Brady 90851 Miniature Circuit Breaker Lockout (Pin Out Wide)



Standard "Pin" style lockouts install easily with the aid of a push button. Packed in 6 each per packet.

Brady 99552 Safety Padlock with 1.5" Shackle (Red)



Unique cylinder is insulated to protect workers from shocks when key is inserted.

Valve Lockout

Brady 64057 Adjustable Gate Valve Lockout



Economical lockout adjusts to fit 1" to 6 1/2" diameter valve handles, replacing 3 conventional gate valve lockouts. Durable polypropylene is resistant to extreme temperature changes from -13Å°F to 194Å°F. Device is compact for easy carrying and storage.

Brady 65560 Mini Gate Valve Lockout (1"-2.5" Gate Valves)



Made of injection-molded polypropylene, are extremely rugged for superior impact and chemical resistance. They can easily withstand temperatures from -20Å°F to 300Å°F.

Brady 65561 Small Gate Valve Lockout



- 2.5"-5" Gate Valves
- 5"-6.5" Gate Valves
- 6.5"-10" Gate Valves
- 10"-13" Gate Valves



Made of injection-molded polypropylene, are extremely rugged for superior impact and chemical resistance.

Brady 99687 Combination Lockout Satchel with Safety Padlocks



Everything you need to lock out the most common mechanical and electrical control points, with extra Valve lockout devices.

Brady 99684 Combination Lockout Toolbox with Safety Padlocks



Contains all the basic tools needed to lock out gate and ball valves, circuit breakers, switches and plugs.

Valve Lockout

Brady 65666 Small Ball Valve Lockout (0.25"-1" Ball Valves)



Easy to use, single-piece design makes our standard all valve lockouts the perfect tool for securing your valve handles in the off position.

Brady 65669 Large Ball Valve Lockout (1.25"-3" Ball Valves)



Easy to use, single-piece design makes our standard all valve lockouts the perfect tool for securing your valve handles in the off position.

Brady 65692 Small Ball Valve Lockout (0.25"-1" Ball Valves)



Easy to use, single-piece design makes our standard all valve lockouts the perfect tool for securing your valve handles in the off position.

Brady 50899 Large Universal Lockout Base Clamp Only



Base unit only (cable and blocking arm sold separately). Versatile, rugged, easy to use and lightweight, our universal valve lockouts are effective for all types of standard valves. Can also be used to lock out large levers, T-handles and hard-to-secure mechanical devices. New open-ended clamp fits over closed rings and wide handles.

Brady 50924 Small Universal Lockout Base Clamp Only



Base unit only (cable and blocking arm sold separately). Versatile, rugged, easy to use and lightweight, our universal valve lockouts are effective for all types of standard valves. Can also be used to lock out large levers, T-handles and hard-to-secure mechanical devices. New open-ended clamp fits over closed rings and wide handles.

Brady 65402 Small Blocking Arm



Blocking arm for use with small Universal Valve Lockout.

Brady BS07A Ball Valve Lockout Device - Red



For small ball valve 0.5"-2.5"

Brady BS08A Ball Valve Lockout Device - Red



For Large ball valve 2"-8"

Brady 65403 Large Blocking Arm



Blocking arm for use with large Universal Valve Lockout.

Valve Lockout / Lockout Tagout Kit

Brady 51392 Large Universal Lockout c/w Sheathed Cable & Blocking Arm



Versatile, rugged, easy to use and lightweight, our universal valve lockouts are effective for all types of standard valves. Can also be used to lock out large levers, T-handles and hard-to-secure mechanical devices. New open-ended clamp fits over closed rings and wide handles.

Brady 51394 Small Universal Lockout c/w Sheathed Cable & Blocking Arm



Versatile, rugged, easy to use and lightweight, our universal valve lockouts are effective for all types of standard valves. Can also be used to lock out large levers, T-handles and hard-to-secure mechanical devices. New open-ended clamp fits over closed rings and wide handles.

Brady 99312 Electrical Lockout Toolbox Kit with Brady Safety Padlocks & Tags



Our electrical lockout toolbox gives you all the basics to lockout breakers, electrical plugs, wall switches and fuses.

Valve Lockout / Lockout Tagout Kit

Brady 105955 Personal Valve & Electrical kit c/w 3-keyed Alike Safety Padlocks



Brady's Personal Valve & Electrical Lockout Kit provides everything you need to lockout breakers, plugs and valves of various types and sizes.

Brady 134032 Maintenance Lockout Kit



Lockout kit specifically designed for use by internal maintenance crews.

Brady 105960 Personal Electrical Lockout Kit



Contains lockouts for use on most circuit breakers, electrical plugs and disconnect switches.

Valve Lockout

Brady 105957 Personal Valve Lockout Kit



Contains lockouts for use on a wide range of gate and ball valves.

Brady 105954 Personal Valve & Electrical Lockout Kit



Provides everything you need to lockout circuit breakers, plugs and valves of various types & sizes.

Brady 99677 Gate Valve Lockout Satchel with Safety Padlocks



Protect employees and comply with OSHA's Lockout Standard with this convenient lockout kit that contains premium Brady lockout devices designed to address mechanical risks.

Brady 105934 Ready Access Valve & Electrical Lockout Station with Safety Padlocks



Made of thermoformed polypropylene for rugged durability. Semi-transparent hinged cover with locking mechanism. Slots in back for wall mounting as well as attachable carrying handle for portability. 4-detectable hanging hooks inside compartments. Cabinet dimensions 17" H X 17" W x 6.75" D. Comes with 6-keyed different safety padlocks (99952).

Safety Warning Tag LT02



Model LT02 - Lockout Tagout Tag
Made from PVC material and can be written by erasable pen
Dimension: 75 x 146mm

Safety Warning Tag LT03



Model LT03 - Do Not Operate
Made from PVC material and can be written by erasable pen
Dimension: 75 x 146mm

SBL03 - Emergency Stop Button Lockout



Made of transparent glass resin
Prohibits access to a switch control. It can accommodate buttons up to 50mm diameter and 45mm tall. Fits both 30.5mm-22.5mm, 38mm diameter switches

SBL01 - Emergency Stop Button Lockout



Made from durable transparent PC. Fit on press or screw emergency stop button. Easily used and permanently prevent workers from operating carelessly. It comes with 22 and 30mm diameter switch

P44SD 44mm*Dia 4 Steel Shackle Padlock



MATERIAL: Reinforced nylon body and stainless steel S304 shackle
Widely used in chemical, electrical, automobile industry, etc. Easily to be carried. Available colors are : Red blue dark blue yellow green orange purple brown black and white

POS Miniature Circuit Breaker Lockout



Made from Nylon. Available for single and multi-pole breakers. Can take a padlock with shackle diameter up to 9/32" (7mm).

PIS Miniature Circuit Breaker Lockout



Made from Nylon. Available for single and multi-pole breakers. Can take a padlock with shackle diameter up to 9/32" (7mm)

CBL07 Moulded Case Circuit Breaker Lockout



Made from engineering plastic strengthened nylon PA. Self-locking screws, easy to lock without. Suitable for all kinds of miniature circuit breakers (handle width ≤ 15mm)

CBL11 120/270V Clamp-On Breaker Lockout



Made of rugged polypropylene and impact modified nylon. For 120-277V breaker lockouts, handle width ≤ 18mm, comes with a cleat

CBL12 480/600V Clamp-On Breaker Lockout



Made of rugged polypropylene and impact modified nylon. For 480-600V breaker lockouts, handle width \leq 42mm, comes with a cleat

CBL13 Oversized Breaker Lockout



Made of rugged polypropylene and impact modified nylon. For Large 480-600V breaker lockouts, handle width \leq 72mm

LS01 - 4 Locks Padlock Station



Made from engineering plastic PC. with a one piece design, with a cover to lock out. Each hanger can accommodate 2 padlocks or hasps. Lockable – Can use a combination padlock to limit access to authorized employee. Dimension 558 x 393 x 65mm.

ABVL01 Small Adjustable Ball valve lockout



Made from durable ABS, highly resistant to cracking and abrasion, resistant to extreme weather temperature conditions. Suitable for pipes size ranges from 1/2" To 2.5" and 2" to 8" diameter.

BVL01 Butterfly Valve Lockout



Made from durable PP. Lock shackle diameter max 7mm. Suitable for valve handle from 8mm To 45mm (0.3"-1.8")

SBVL012 Standard Ball Valve Lockout



Made from hardened steel, surface treatment by high temperature spray, rust proof. For use on ball valve sizes from 31mm (1-1/4") to 76mm (3"), hole diameter is 3/8".

Gate Valve Lockout



Sizes available
 1-2 1/2"(25-64mm) in diameter
 2 1/2"-5"(64-127mm) in diameter
 5-6 1/2"(127-165mm) in diameter
 6 1/2"-10(165-254mm) in diameter
 10-13"(254-330mm) in diameter
 13-18"(330-450mm) in diameter
 18-25"(450-635mm) in diameter

Made from durable and strong ABS. To locked on the valve handle to prevent the valve wheel from being turned. Resistant to cracking and abrasion, can be used in extreme weather and temperature conditions.

CB02 Cable lockout



Made of industrial Impact Modified Nylon, with an insulation plastic coated steel cable. Comes with cable length : 2.4Mtr, Dia:3.5m

SH01 PA Coated Cteel Lockout Hasp



Steel with red plastic or vinyl coated body, rust proof. Allow multiple padlocks to be used when isolating one energy source). Lock holes: 3/8" (9.5mm) diameter. Jaw size: 1" (25mm) & 1.5" (38mm)

LG06 Valve Lockout Kit



It is an industrial selection of lockout/tagout devices.
For locking off all kinds of valves, etc. Tool bag size:16 inches.

LG03 Lockout Tagout kits



It is an industrial selection of lockout/tagout devices.
For locking off all kinds of circuit breakers, valves, switches, etc.
Tool Box Overall Size: 410 x 190 x 185mm.

SAFETY CABINETS & SAFETY CANS



SAFETY CABINETS & SAFETY CANS

Cabinets

Justrite 893000 Flammable Cabinet 30-Gallon Capacity




Constructed of fully-welded, 18-ga. galvanized steel with powder coat finish. U-Loc paddle handle with slip-resistant grip. Features fail-safe, 3-point self-latching system and 2 keys. Meet OSHA and NFPA Code 30 standards.

Justrite 893011 Combustibles Storage Cabinet 40-Gallon Capacity



Feature a padlockable U-Loc paddle handle. SpillSlope shelves adjust on 3" centers, and Haz-Alert reflective labelling. Meet OSHA and NFPA Code 30 standards.

Justrite 894500 Flammable Cabinet 45-Gallon Capacity



Features fail-safe, 3-point self-latching system and 2 keys. Meet OSHA and NFPA Code 30 standards.

Justrite's Steel Corrosive Cabinet 30 Gallon Capacity



Including: double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills, three-point self-latching doors and leveling feet.

Justrite's Steel Corrosive Cabinet 45 Gallon Capacity



Including: double-wall construction, dual vents, grounding wire connections, adjustable shelves, leakproof sills, three-point self-latching doors and leveling feet.

Cabinets / Storage Cans

Justrite 899000 Flammable Cabinet 90-Gallon Capacity



Features fail-safe, 3-point self-latching system and 2 keys. Meet OSHA and NFPA Code 30 standards

Justrite 896000 Flammable Cabinet 60-Gallon Capacity



Features fail-safe, 3-point self-latching system and 2 keys. Meet OSHA and NFPA Code 30 standards.

Justrite 09100 6-Gallon Oily Waste Can c/w Foot-Operated Pedal



Specially designed lid opens no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated.

Storage Cans / Misc.

Justrite 09101 6-Gallon Oily Waste Can c/w Foot-Operated Pedal



Specially designed lid opens no more than 60 degrees and stays closed when not in use, isolating contents from fire sources and limiting oxygen so spontaneous combustion risk is virtually eliminated.

Justrite 10108 1-Quart Plunger Can



Helps quickly and easily moisten cleaning cloths and wipes to clean parts and equipment. Smart pump mechanism helps streamline swabbing operations. Made of chemical-resistant Ryton® and brass. Designed to leave less liquid in the bottom before having to refill.

Justrite Type II Steel Safety Can For Flammables



- 10821 - 5 Gallon
- 10721 - 3 Gallon
- 10527 - 2 Gallon
- 10327 - 1 Gallon




Protection features include a long lasting stainless steel flame arrester that dissipates heat to prevent flashback ignition and a gasketed, self-closing leak tight lid that automatically vents to guard against rupture or explosion.

Justrite Type I Steel Safety Can For Flammables



- 10801 - 5 Gallon
- 10501 - 2 Gallon
- 10301 - 1 Gallon



Compliant and economical Justrite Type I safety cans reduce fire risks and make everyday use of flammables easier and safer. Protection features include a 3.5" (88mm) long chemical resistant stainless steel flame arrester that stops flashback ignition, provides faster liquid flow, and offers exceptional durability.

Justrite 28623 Ecopolyblend Spill Control Pallet for 2 Drums w/o Drain



Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycled, post-industrial, durable polyethylene.

Justrite 28635 Ecopolyblend Spill Control Pallet (2X2 Drum Configuration) w/o Drain



Economical, low-profile secondary containment platforms are eco-friendly. Made of black, 100% recycle, post-industrial, durable polyethylene. Features an oversized leakproof sump to contain spills from drums, preventing groundwater contamination. It can hold up to 73 gallons from a leaking drum.

Spill Pallet with 4 way FLT access for 4 x 205ltr drums - BP4FW



- 100% polyethylene for chemical compatibility
- Removable plastic grid for easy clean-up
- Forklift pockets to aid transportation



Backed by our 3 year guarantee. Manufactured from medium density polyethylene this heavy duty spill pallet has 4-way fork lift access, broad range chemical compatibility and a removable plastic mesh deck and it complies with all the UK regulations relating to sump capacities. You will require an appropriate size/capacity fork lift truck to offload this item from the delivery vehicle. Our standard delivery doesn't include any offloading.

Spill Pallet with 4 way FLT access for 2 x 205ltr drums - BP2FW



- 100% polyethylene for chemical compatibility
- Removable plastic grid for easy clean-up
- Forklift pockets to aid transportation



Backed by our 3 year guarantee. Manufactured from medium density polyethylene this spill pallet has 4-way fork lift access, broad range chemical compatibility, a removable plastic mesh deck and complies with all the UK regulations relating to sump capacities. You will require an appropriate size/capacity fork lift truck to offload this item from the delivery vehicle. Our standard delivery doesn't include any offloading.

OTHERS

Back Support / Safety Walk / Marine Safety

Heartsine Samaritan 500P



HeartSine samaritan PAD 500P defibrillator with integrated CPR Advisor is the most innovative device available to support these guidelines, giving rescuers feedback on the effectiveness of their CPR efforts – in real time. Comes with 8-years on device.

Best HM-406 Back Support Belt



Entry level economical option for the back support belt to ensure that your team is always supported when lifting heavy loads. Although this is NO REPLACEMENT for proper lifting procedures, this ergonomic item may help in the ergonomics in lifting.

3M™ 530 Safety Walk Conformable Anti-Slip Tape Yellow, 2" x 60'



Ideal for use on diamond grade safety plates, steps and other irregular surfaces. Mineral coated, slip-resistant with aluminium foil backing. Conforms to irregular surfaces and around edges.

3M™ 510 Safety Walk Conformable Anti-Slip Tape Black, 2" x 60'



Ideal for use on diamond grade safety plates, steps and other irregular surfaces. Mineral coated, slip-resistant with aluminium foil backing. Conforms to irregular surfaces and around edges.

3M™ Safety-Walk™ Cushion Matting 5270E 3'x10"



Spring coiled vinyl foam anti-fatigue mat that compresses uniformly and continually, providing greater comfort and less fatigue. Textured top provides high co-efficient of friction for slip resistance. Solid top has a special grease and oil resistant coating. Designed for light to medium industrial use. Black integral edging.

Life Buoy #XT556 2.5KG c/w Reflective Tape - Colour: Orange



Standard life buoy with reflective tapes and comes bundled together with a 10m rope lifeline.

Life Oxygen Pac Resuscitator



Easily Portable with Convenient Handle 20" x 6" x 9". 90 Minutes Supply @ 6LPM-566 liters Oxygen.

Traffic Cone - 30" (750mm) Sandbase



Standard traffic safety cone that comes with 1 reflective strip at the top of the cone. Durable and heavy duty.

Emergency & First Aid Kit

Jumbo Size First-Aid Kit in a Metal Box - MMJ 279A



Jumbo size first-aid kit based on DOSH specification - Box A for 1-10 employees.

Jumbo Size First-Aid Kit in a Metal Box - MMJ 279C



Jumbo size first-aid kit containing relevant first-aid supplies.

Giant Size First-Aid Kit in a Metal Box - MMG 299B



Giant size first-aid kit based on DOSH specification - Box B for 11-50 employees.

Giant Size First-Aid Kit in a Metal Box - MMG 299C



Giant size first-aid kit based on DOSH specification - Box C for more than 50 employees.

Extra Large Size First-Aid Kit in a Metal Box - MMXL 269A



Extra large size first-aid kit containing relevant first-aid supplies.

Large Size First-Aid Kit in a Metal Box - MML 239



Large size first-aid kit containing relevant first-aid supplies.

Mini Auto Pack Size First-Aid Kit in a PVC Box - MPMN 109



Mini auto pack size first-aid kit containing relevant first-aid supplies.

AED Cabinet with Siren



Included with Siren Sound & Light. Allowed to be Wall Mounted. Comes with "Break Glass" Feature to get key. Comes with 2-keys & 9V Battery.

Double Fold Stretcher (W/Sewn 2 Strap in Carrying Bag)



Frame made of high-strength aluminium alloy w/Durable Waterproof PVC Coated Nylon Canvas 1000D Orange colour w/sewn 2 strap in carrying bag. It's light weighted, compact and totally portable.

Back Support / Safety Walk / Marine Safety

Masters Series Jacket & Pant Kit



Our ultra lightweight Arc Flash PPE 4 Masters Series Jacket & Pant kit comes with the following:

Jacket (SWJ-MS44)

Hood (SWH-44)

Rubber Gloves (LRIG-2-14)

15" Glove Bag (GB-15)

Safety Glasses (SW-SG)

Over Pant (SWP-MS44)

Hard Cap (HC-Color-SLT)

Leather Protector Gloves (LLPG-12)

Gear Bag (909-ARC)

Ear Plugs (SW-EAR)




**COMPLETED
PROJECTS**

**INSTALLATION OF HORIZONTAL LIFELINE
UNIVERSITI TEKNOLOGI PETRONAS (UTP) - TRONOH, PERAK**



**INSTALLATION OF HORIZONTAL LIFELINE
KL SENTRAL**



VIBRACON TOWER SAFETY TRAINING




Time Cel Staff



Maxis Contractors



INSTALLATION OF HORIZONTAL LIFELINE & TRAINING MONDELEZ MALAYSIA, BUTTERWORTH, PENANG



**LIFELINE SYSTEM -
PANORAMA LANGKAWI @ LANGKAWI, KEDAH**



OTHER PROJECTS

